

Logic Programming

Using Grammar Rules

Temur Kutsia

Research Institute for Symbolic Computation
Johannes Kepler University Linz, Austria
kutsia@risc.jku.at

Contents

The Parsing Problem

Representing the Parsing Problem in Prolog

The Grammar Rule Notation

Adding Extra Arguments

Adding Extra Tests

Grammar of a Language

Definition (Grammar of a Language)

A *set of rules* for specifying what sequences of words are acceptable as sentences of the language.

Grammar specifies:

- ▶ How the words must group together to form phrases.
- ▶ What orderings of those phrases are allowed.

Parsing Problem

Given: A grammar for a language and a sequence of words.

Problem: Is the sequence an acceptable sentence of the language?

Simple Grammar Rules for English

Structure Rules:

sentence -> noun_phrase, verb_phrase.

noun_phrase -> determiner, noun.

verb_phrase -> verb, noun_phrase.

verb_phrase -> verb.

Simple Grammar Rules for English (Ctd.)

Valid Terms:

determiner -> [the].

noun -> [man].

noun -> [apple].

verb -> [eats].

verb -> [sings].

Reading Grammar Rules

X->Y: "X can take the form Y".

X, Y: "X followed by Y".

Example

sentence -> noun_phrase, verb_phrase:

sentence can take a form: noun_phrase followed by verb_phrase.

Alternatives

Two rules for verb_phrase:

1. verb_phrase -> verb, noun_phrase.
2. verb_phrase -> verb.

Two possible forms:

1. verb_phrase can contain a noun_phrase: "the man eats the apple", or
2. it need not: "the man sings"


Valid Terms

Specify phrases made up in terms of actual words (not in terms of smaller phrases):

- ▶ `determiner` \rightarrow `[the]`:
A `determiner` can take the form: the word `the`.


Parsing

`sentence` \rightarrow `noun_phrase`, `verb_phrase`



Parsing

`noun_phrase` \rightarrow `determiner`, `noun`



How To

Problem: How to test whether a sequence is an acceptable sentence?

Solution: Apply the first rule to ask:

Does the sequence decompose into two phrases:
acceptable `noun_phrase` and
acceptable `verb_phrase`?

How To


Problem: How to test whether the first phrase is an acceptable `noun_phrase`?

Solution: Apply the second rule to ask:

Does it decompose into a `determiner` followed by a `noun`?

And so on.

Parse Tree



Parsing Problem

Given: A grammar and a sentence.

Construct: A parse tree for the sentence.

Prolog Parse

Problem: Parse a sequence of words.

Output: *True*, if this sequence is a valid sentence.
False, otherwise.

Example (Representation)

Words as PROLOG atoms and sequences of words as lists:

```
[the,man,eats,the,apple]
```

Sentence

Introducing predicates:

<code>sentence(X)</code>	:	X is a sequence of words forming a grammatical sentence.
<code>noun_phrase(X)</code>	:	X is a noun phrase.
<code>verb_phrase(X)</code>	:	X is a verb phrase.

Program

```
sentence(X) :-
    append(Y, Z, X),
    noun_phrase(Y),
    verb_phrase(Z).

noun_phrase(X) :-
    append(Y, Z, X),
    determiner(Y),
    noun(Z).

verb_phrase(X) :-
    append(Y, Z, X),
    verb(Y),
    noun_phrase(Z).

verb_phrase(X) :-
    verb(X).

determiner([the]).
noun([apple]).
noun([man]).
verb([eats]).
verb([sings]).
```

Inefficient

- ▶ A lot of extra work.
- ▶ Unnecessary Searching.
- ▶ Generate and Test:
 - ▶ **Generate** a sequence.
 - ▶ **Test** to see if it matches.
- ▶ Simplest Formulation of the search but inefficient

Inefficiency

The program accepts the sentence "the man eats the apple":

```
?-sentence([the,man,eats,the,apple]).
yes
```

The goal

```
?-append(Y,Z,[the,man,eats,the,apple])
on backtracking can generate all possible pairs:
```

```
Y=[], Z=[the,man,eats,the,apple]
Y=[the], Z=[man,eats,the,apple]
Y=[the,man], Z=[eats,the,apple]
Y=[the,man,eats], Z=[the,apple]
Y=[the,man,eats,the], Z=[apple]
Y=[the,man,eats,the,apple], Z=[]
```

Redefinition

```
noun_phrase(X, Y) : there is a noun phrase
                    at the beginning
                    of the sequence X
                    and the part that is left
                    after the noun phrase
                    is Y.
```

The goal

```
?-noun_phrase([the,man,saw,the,cat],
              [saw,the,cat]).
```

should succeed.

```
noun_phrase(X, Y) :- determiner(X, Z), noun(Z, Y).
```

Improved Program

```
sentence(S0, S) :-      noun_phrase(S0, S) :-
    noun_phrase(S0, S1),      determiner(S0, S1),
    verb_phrase(S1, S).      noun(S1, S).

verb_phrase(S0, S) :-    determiner([the|S], S).
    verb(S0, S).

verb_phrase(S0, S) :-    noun([man|S], S).
    verb(S0, S1),      noun([apple|S], S).
    noun_phrase(S1, S).    verb([eats|S], S).
                           verb([sings|S], S).
```

Goal

```
sentence(S0, S) : There is a sentence
                  at the beginning of S0
                  and
                  what remains from the sentence in S0
                  is S.
```

We want whole `S0` to be a sentence, i.e., `S` should be empty.

```
?-sentence([the,man,eats,the,apple], []).
```

Do you remember difference lists?

Pros and Cons

Advantage: More efficient.

Disadvantage: More cumbersome.

Improvement idea: Keep the easy grammar rule notation for the user,
Automatically translate into the PROLOG code for computation.

Defining Grammars

PROLOG provides an automatic translation facility for grammars.

Principles of translation:

- ▶ Every name of a kind of phrase must be translated into a binary predicate.
- ▶ First argument of the predicate—the sequence provided.
- ▶ Second argument—the sequence left behind.
- ▶ Grammar rules mentioning phrases coming one after another must be translated so that
 - ▶ the phrase left behind by one phrase forms the input of the next, and
 - ▶ the amount of words consumed by whole phrase is the same as the total consumed by subphrases.

Defining Grammars

The rule `sentence -> noun_phrase, verb_phrase.` translates to:

```
sentence(S0,S):-  
    noun_phrase(S0,S1),  
    verb_phrase(S1,S).
```

The rule `determiner -> [the]` translates to

```
determiner([the|S],S).
```

Defining Grammars

Now, the user can input the grammar rules only:

```
sentence    -> noun_phrase, verb_phrase.  
verb_phrase -> verb.  
verb_phrase -> verb, noun_phrase.  
noun_phrase -> determiner, noun.  
determiner  -> [the].  
noun        -> [man].  
noun        -> [apple].  
verb        -> [eats].  
verb        -> [sings].
```

It will be automatically translated into:

```
sentence(S0,S):-  
    noun_phrase(S0,S1),  
    verb_phrase(S1,S).  
noun_phrase(S0,S):-  
    determiner(S0,S1),  
    noun(S1,S).  
verb_phrase(S0,S):-  
    verb(S0,S).  
verb_phrase(S0,S):-  
    verb(S0,S1),  
    noun_phrase(S1,S).  
determiner([the|S],S).  
noun([man|S],S).  
noun([apple|S],S).  
verb([eats|S],S).  
verb([sings|S],S).
```

Goals

```
?-sentence([the,man,eats,the,apple],[ ]).  
yes
```

```
?-sentence([the,man,eats,the,apple],X).  
X=[]
```

SWI-Prolog provides an alternative (for the first goal only):

```
?-phrase(sentence,[the,man,eats,the,apple]).  
yes
```

Phrase Predicate

Definition of phrase is easy

```
phrase(Predicate,Argument):-  
    Goal=..[Predicate,Argument,[]],  
    call(Goal).
```

=.. (read "equiv") – built-in predicate

=..

```
?- p(a,b,c)=..X.
```

```
X = [p, a, b, c]
```

```
?- X=..p(a,b,c).
```

```
ERROR: =../2: Type error: `list' expected,  
found `p(a, b,c)'
```

```
?- X=..[p,a,b,c].
```

```
X=p(a,b,c).
```

```
?- X=..[].
```

```
ERROR: =../2: Domain error: `not_empty_list'  
expected, found `[]'
```

```
?- X=..[1,a].
```

```
ERROR: =../2: Type error: `atom' expected,  
found `1'
```

Is Not it Enough?

No, we want more.

Distinguish singular and plural sentences.

Ungrammatical:

- ▶ The boys eats the apple
- ▶ The boy eat the apple

Straightforward Way

Add more grammar rules:

```
sentence      -> singular_sentence.  
sentence      -> plural_sentence.  
noun_phrase   -> singular_noun_phrase.  
noun_phrase   -> plural_noun_phrase.  
singular_sentence -> singular_noun_phrase,  
                singular_verb_phrase.  
singular_noun_phrase -> singular_determiner,  
                singular_noun.
```

Straightforward Way

```
singular_verb_phrase -> singular_verb,  
                        noun_phrase.  
singular_verb_phrase -> singular_verb.  
singular_determiner  -> [the].  
singular_noun         -> [man].  
singular_noun         -> [apple].  
singular_verb         -> [eats].  
singular_verb         -> [sings].
```

And similar for plural phrases.

Disadvantages

- ▶ Not elegant.
- ▶ Obscures the fact that singular and plural sentences have a lot of structure in common.

Better solution

- ▶ Associate an extra argument to phrase types according to whether it is singular or plural:

```
sentence(singular)  
sentence(plural)
```

Grammar Rules with Extra Arguments

```
sentence      -> sentence(X) .
sentence(X)   -> noun_phrase(X) ,
               verb_phrase(X) .
noun_phrase(X) -> determiner(X) ,
               noun(X) .
verb_phrase(X) -> verb(X) ,
               noun_phrase(Y) .
verb_phrase(X) -> verb(X) .
```

Grammar Rules with Extra Arguments. Cont.

```
determiner(_) -> [the] .
noun(singular) -> [man] .
noun(singular) -> [apple] .
noun(plural)   -> [men] .
noun(plural)   -> [apples] .
verb(singular) -> [eats] .
verb(singular) -> [sings] .
verb(plural)   -> [eat] .
verb(plural)   -> [sing] .
```

Parse Tree

The man eats the apple

should generate

```
sentence (
  noun_phrase (
    determiner (the) ,
    noun (man) ) ,
  verb_phrase (
    verb (eats) ,
    noun_phrase (
      determiner (the) ,
      noun (apple) ) ,
  )
)
```

Building Parse Trees

- ▶ We might want grammar rules to make a parse tree as well.
- ▶ Rules need one more argument.
- ▶ The argument should say how the parse tree for the whole phrase can be constructed from the parse trees of its sub-phrases.

Example:

```
sentence (X, sentence (NP, VP) ) ->
  noun_phrase (X, NP) , verb_phrase (X, VP) .
```

Translation

```
sentence(X, sentence(NP, VP)) ->
    noun_phrase(X, NP),
    verb_phrase(X, VP).
```

translates to

```
sentence(X, sentence(NP, VP), S0, S) :-
    noun_phrase(X, NP, S0, S1),
    verb_phrase(X, VP, S1, S).
```

Grammar Rules for Parse Trees

Number agreement arguments are left out for simplicity.

```
sentence(sentence(NP, VP)) ->
    noun_phrase(NP),
    verb_phrase(VP).
verb_phrase(verb_phrase(V)) ->
    verb(V).
verb_phrase(verb_phrase(VP, NP)) ->
    verb(VP),
    noun_phrase(NP).
noun_phrase(noun_phrase(DT, N)) ->
    determiner(DT),
    noun(N).
```

Grammar Rules for Parse Trees. Cont.

```
determiner(determiner(the)) -> [the].
noun(noun(man)) -> [man].
noun(noun(apple)) -> [apple].
verb(verb(eats)) -> [eats].
verb(verb(sings)) -> [sings].
```

Translation into Prolog Clauses

- ▶ Translation of grammar rules with extra arguments—a simple extension of translation of rules without arguments.
- ▶ Create a predicate with two more arguments than are mentioned in the grammar rules.
- ▶ By convention, the extra arguments are as the last arguments of the predicate.

```
sentence(X) -> noun_phrase(X), verb_phrase(X).
```

translates to

```
sentence(X, S0, S) :-
    noun_phrase(X, S0, S1), verb_phrase(X, S1, S).
```

Adding Extra Tests

- ▶ So far everything in the grammar rules were used in processing the input sequence.
- ▶ Every goal in the translated Prolog clauses has been involved with consuming some amount of input.
- ▶ Sometimes we may want to specify Prolog clauses that are not of this type.
- ▶ Grammar rule formalism allows this.
- ▶ Convention: Any goals enclosed in curly brackets {} are left unchanged by the translator.

Overhead in Introducing New Word

- ▶ To add a new word `banana`, add at least one extra rule:
`noun(singular, noun(banana)) -> [banana].`
- ▶ Translated into Prolog:
`noun(singular, noun(banana), [banana|S], S).`
- ▶ Too much information to specify for one noun.

Mixing Grammar with Prolog

Put common information about all words in one place, and information about particular words in somewhere else:

```
noun(S, noun(N)) -> [N], {is_noun(N, S)}.  
is_noun(banana, singular).  
is_noun(banana, plural).  
is_noun(man, singular).
```

Mixing Grammar with Prolog

```
noun(S, noun(N)) -> [N], {is_noun(N, S)}.
```

- ▶ `{is_noun(N, S)}` is a test (condition).
- ▶ `N` must be in the `is_noun` collection with some plurality `S`.
- ▶ Curly brackets indicate that it expresses a relation that has nothing to do with the input sequence.
- ▶ Translation does not affect expressions in the curly brackets:
`noun(S, noun(N), [N|Seq], Seq) :- is_noun(N, S).`

Mixing Grammar with Prolog

- ▶ Another inconvenience:

```
is_noun(banana, singular).  
is_noun(banana, plural).
```

- ▶ Two clauses for each noun.
- ▶ Can be avoided in most of the cases by adding *s* for plural at the end of singular.

Mixing Grammar with Prolog

- ▶ Amended rule:

```
noun(plural, noun(N)) ->  
    [N],  
    {atom_chars(N, Plname),  
    append(Singname, [s], Plname),  
    atom_chars(RootN, Singname),  
    is_noun(RootN, singular)} .
```

Further Extension

- ▶ So far the rules defined things in terms how the input sequence is **consumed**.
- ▶ We might like to define things that **insert** items into the input sequence.
- ▶ Example: Analyze
 "Eat your supper"
as if there were an extra word "you" inserted:
 "You eat your supper"

Rule for the Extension

```
sentence -> imperative,  
            noun_phrase,  
            verb_phrase.  
imperative, [you] -> [].  
imperative -> [].
```

The first rule of `imperative` translate to:

```
imperative(L, [you|L]).
```

Meaning of the Extension

- ▶ **If**
the left hand side of a grammar rule consists of a part of the input sequence separated from a list of words by comma
- ▶ **Then**
in the parsing, the words are inserted into the input sequence after the goals on the right-hand side have had their chances to consume words from it.