

Logic Programming

Prolog as a Language

Temur Kutsia

Research Institute for Symbolic Computation
Johannes Kepler University Linz, Austria
`kutsia@risc.jku.at`

1/30

Prolog as a Language

- ▶ Syntax
- ▶ Operators
- ▶ Equality
- ▶ Arithmetic
- ▶ Satisfying goals

2/30

Syntax

Terms:

- ▶ constant
- ▶ variable
- ▶ structure

3/30

Constants

- ▶ Naming (specific objects, specific relationships)
 - ▶ likes mary john book wine owns jewels
can_steal
 - ▶ a
 - ▶ void
 - ▶ =
 - ▶ 'george-smith'
 - ▶ -->
 - ▶ george_smith
 - ▶ ieh2304
- ▶ Integers (size is implementation dependent)

4/30

Non-Constants

The following symbols are not constants:

- ▶ `2340ieh` – begins with a number.
- ▶ `george-smith` – contains a dash.
- ▶ `Void` – begins with a capital.
- ▶ `_alpha` – begins with an underscore.

Variables

Begin with a capital or with an underscore:

- ▶ `Answer`
- ▶ `Input`
- ▶ `_3_blind_mice`

Anonymous variable: a single underscore

- ▶ `likes(john, _)`.
- ▶ Need not be assigned to the same variable `likes(_, _)`.

Structures

Collection of objects (*components*), grouped together in one object.

Help organize.

Make code more readable.

Structures

Example: an index card for a library

- ▶ Author's Name
- ▶ Title
- ▶ Date
- ▶ Publisher
- ▶ Name could be split also first, last, etc.

Examples

- ▶ `owns(john, book).`
- ▶ **One Level:**
`owns(john, wuthering_heights).`
`owns(mary, moby_dick).`
- ▶ **Deeper:**
`owns(john, book(wuthering_heights, bronte)).`
`owns(john, book(wuthering_heights,`
`author(emily, bronte))).`

9/30

Questions

- ▶ **Does John own a book by the Bronte sisters?**
`owns(john, book(X, author(Y, bronte))).`
- ▶ **For the yes/no question**
`owns(john, book(_, author(_, bronte))).`
(note that two `_`'s could match different objects)

10/30

Equality

An infix operator =

- ▶ $X = Y$
a match is attempted between expression X and expression Y .
- ▶ PROLOG does what it can to match X and Y .

11/30

Example: Instantiating

X is uninstantiated.

Y is an object.

$X = Y$: X and Y will be matched.

Thus X will be instantiated by the object Y .

```
?- X = rides(man,bicycle).
```

```
X = rides(man,bicycle).
```

12/30

Example: Symbols

```
?- policeman = policeman.  
true.
```

```
?- paper = pencil.  
false.
```

```
?- 1066 = 1066.  
true.
```

```
?- 1206 = 1583.  
false.
```

Arguments Instantiated

Equating structures – matching arguments.

```
?- rides(man,bicycle) = rides(man,X) .  
  
X = bicycle.
```

Arguments Instantiated

```
?- a(b,C,d(e,F,g(h,i,J))) =  
    a(B,c,d(E,f,g(H,i,j))).
```

B = b

C = c

E = e

F = f

H = h

J = j

15/30

Equality

```
?- X = X.
```

true.

```
?- Y = X.
```

Y = X.

16/30

Equality

?- X = Y, X = 1200.
X = 1200, Y = 1200.

Arithmetic Comparisons

=

\=

<

>

=<

>=

Arithmetic

```
?- 123 > 14.  
true.
```

```
?- 14 > 123.  
false.
```

```
?- 123 > X.  
ERROR: Arguments are not sufficiently  
instantiated
```

19/30

Example

Prince **was** a prince during year Year if
Prince **reigned between years** Begin **and** End, and
Year **is between** Begin **and** End.

```
prince(Prince, Year) :-  
  reigns(Prince, Begin, End),  
  Year >= Begin,  
  Year <= End.
```

```
reigns(rhodri, 844, 878).  
reigns(anarawd, 878, 916).  
reigns(hywel_dda, 916, 950).  
reigns(lago_ad_idwal, 950, 979).  
reigns(hywel_ab_ieuaf, 979, 985).  
reigns(cadwallon, 985, 986).  
reigns(maredudd, 986, 999).
```

20/30

Runs

Was Cadwallon a prince in 986?

```
?- prince(cadwallon, 986).  
true.
```

Was Rhodri a prince in 1995?

```
prince(rhodri, 1995).  
false.
```

Who Was a Prince When

Who was the prince in 900?

```
?- prince(Prince, 900).  
Prince = anarawd ;  
false.
```

Who was the prince in 979?

```
?- prince(Prince, 979).  
Prince = lagonadidwal ;  
Prince = hywelabieuaf ;  
false.
```

Invalid Question

When was Cadwallon a prince?

```
?- prince(cadwallon, Year).  
ERROR: Arguments are not sufficiently  
instantiated
```

23/30

Calculating

Calculating the population density of a country:
Population over the area. (NB. the built-in predicate `is`.)

```
density(Country, Density) :-  
    pop(Country, Pop),  
    area(Country, Area),  
    Density is Pop/Area.
```

```
pop(usa, 305).  
pop(india, 1132).  
pop(china, 1321).  
pop(brazil, 187).
```

```
area(usa, 3).  
area(india, 1).  
area(china, 4).  
area(brazil, 3).
```

24/30

Questions

What is the population density of USA?

```
?- density(usa, X).  
X = 101.667 ;  
false.
```

25/30

Questions

What country has which density?

```
?- density(X, Y).  
X = usa  
Y = 101.667 ;  
  
X = india  
Y = 1132 ;  
  
X = china  
Y = 330.25 ;  
  
X = brazil  
Y = 62.3333 ;  
false.
```

26/30

Arithmetic Operations

$X + Y$

$X - Y$

$X * Y$

X / Y

$X \bmod Y$

27/30

How Prolog Answers Questions

Program:

```
female(mary).
```

```
parent(C, M, F) :-  
  mother(C, M),  
  father(C, F).
```

```
mother(john, ann).  
mother(mary, ann).
```

```
father(mary, fred).  
father(john, fred).
```

Question:

```
?-female(mary), parent(mary,M,F), parent(john,M,F).
```

How does it work?

28/30

Matching

An uninstantiated variable will match any object.

That object will be what the variable stands for.

An integer or atom will only match itself.

A structure will match another structure if

- ▶ they have the same functor and the same number of arguments and
- ▶ all the corresponding arguments match.

How Is this Matched?

```
?- sum(X+Y) = sum(2+3) .
```

```
X = 2,
```

```
Y = 3
```